

UNITED STATES PATENT AND TRADEMARK OFFICE

(m)

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/790,883	03/03/2004	Hisamitsu Takagi	1442.1018	4739
21171 7590 08/24/2007 STAAS & HALSEY LLP			EXAMINER	
SUITE 700		SINGH, RAMNANDAN P		
1201 NEW YORK AVENUE, N.W. WASHINGTON, DC 20005			ART UNIT	PAPER NUMBER
			2614	
			VAN DATE	DELUEDVACOR
			MAIL DATE	DELIVERY MODE
			08/24/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
		10/790,883	TAKAGI, HISAMITSU			
	Office Action Summary	Examiner	Art Unit			
		Ramnandan Singh	2614			
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SH WHIC - Exter after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANS IN THE MAIL	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tirting will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on <u>05 June 2007</u> .					
,	This action is FINAL . 2b)⊠ This action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)□ 6)⊠ 7)□	Claim(s) <u>2-14 and 16</u> is/are pending in the app 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) <u>2-14, 16</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/o	wn from consideration.				
Applicat	ion Papers					
10)	The specification is objected to by the Examine The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Examine	epted or b) objected to by the drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	ee 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).			
Priority (under 35 U.S.C. § 119		·			
12) <u>□</u> a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau See the attached detailed Office action for a list	s have been received. s have been received in Applicat rity documents have been receiv u (PCT Rule 17.2(a)).	tion No red in this National Stage			
Attachmer	nt(s)					
1) Notice 2) Notice 3) Infor	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail D 5) Notice of Informal 6) Other:	Date			

Art Unit: 2614

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 2. Claims 12-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miyashita [US 6,731,912 B1] in view of Beutler et al [US 5,933,330].

Regarding claim 12, Miyashita discloses a mobile radio communication apparatus, as shown in Figs. 10 and 11, comprising:

a first housing (52);

a second housing (50) foldable over the first housing[col. 8, lines 6-15]; and

a hinge part (54A) that foldably connects the second housing to the first housing around a rotational center axis [col. 8, lines 6-28],

wherein the hinge part includes:

a one touch opening part that automatically opens the second housing from a folded state by a first angle relative to the first housing around the rotational center axis in a non-stop motion [Fig. 8; col. 7, lines

Art Unit: 2614

22-25]; and

an auxiliary rotational part (54B) that rotates the second housing around an orthogonal shaft orthogonal to the rotational center axis of the hinge part [Figs. 10-11; col. 8, lines 16-28].

Miyashita does not teach expressly a hinge part containing a damper (i.e. spring) to break an opening action.

Beutler et al teach a portable radio telephone (100) having an upper housing (102) and a lower housing (108) rotatably connected via a hinge (116), as shown in Figs. 1-2 [col. 2, line 57 to col. 3, line 14] using a damper (i.e. spring) (370) part that brakes an opening action of the second housing by the one touch opening part [Figs. 3-4, 30; col. 3, line 64 to col. 5, line 5; col. 5, lines 46-57; col. 17, lines 30-61].

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to combine the teachings of Beutler et al with Miyashita in order to enable the upper housing 102 to be easily opened and closed [Beutler et al; col. 17, lines 59-61].

Art Unit: 2614

Claim 14 is essentially similar to claim 12 and is rejected for the reasons stated above.

Regarding claim 13, Beutler et al teach the mobile radio communication apparatus, wherein the damper part (370) brakes the second housing when the second housing forms a third angle or larger relative to the first housing [Figs. 3-4, 30; col. 3, line 64 to col. 5, line 5; col. 5, lines 46-57; col. 17, lines 30-61].

3. Claims 2-11, 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miyashita [US 6,731,912 B1] in view of Andrews et al [US 6,439,905 B2].

Regarding claim 7, Miyashita discloses a mobile radio communication apparatus, as shown in Figs. 10-11, comprising:

a first housing (52);

a second housing (50) foldable over the first housing [col. 8, lines 6-15];

Art Unit: 2614

a hinge part (54A) that foldably connects the second housing to the first housing around a rotational center axis [col. 8, lines 6-28], the hinge part including a one touch opening part that automatically opens the second housing from a folded state by a first angle relative to the first housing around the rotational center axis in a non-stop motion [Fig. 8; col. 7, lines 22-27]; and

an auxiliary rotational part (54B) that rotates the second housing around an orthogonal shaft orthogonal to the rotational center axis of the hinge part [Figs. 10-11; col. 8, lines 16-28].

Miyashita does not teach expressly a flexible printed circuit board.

Andrew et al teach a flexible printed circuit board wound around an orthogonal shaft, the flexible printed circuit board electrically connecting the first and second housings to each other [Figs. 2-4, 6; col. 2, lines 54-63; col. 3, lines 5-28].

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to combine the teachings of Andrew et al with

Art Unit: 2614

Miyashita in order that the connector does not make contact with components mounted on the PCB [Andrew et al; col. 3, lines 10-12].

Claim 16 is essentially similar to claim 7 and is rejected for the reasons stated above.

Regarding claim 2, Miyashita further teaches the mobile radio communication apparatus, wherein the auxiliary rotational part (54B) inherently includes a cam part that clicks and provides a semifixed state whenever the second housing rotates by a predetermined angle around the orthogonal shaft [Figs. 10-11].

Regarding claims 3-6, the limitations are shown above.

Regarding claim 8, Andrew et al further teach the mobile radio communication apparatus, wherein the flexible printed circuit board is wound around the rotational center axis of the hinge part other [Figs. 2-4, 6; col. 2, lines 54-63; col. 3, lines 5-28]..

Art Unit: 2614

Regarding claim 9, Miyashita further teaches the mobile radio communication apparatus, wherein the hinge part includes a free stop part (i.e. stopper claw 26) that maintains the second housing at a second angle different from the first angle relative to the first housing [Fig. 5; Page 11, line 25 to Page 13, line 2].

Regarding claims 10-11, the limitations are shown above.

Response to Arguments

4. With the finding of new prior art, new ground(s) of rejection are made. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- (i) Ozouf et al [US 5;141,446] teach using a damper (330) between two components of a device that are hinged together [Fig. 4; Abstract]; and

Application/Control Number: 10/790,883 Page 8

Art Unit: 2614

(ii) Enright [US 6,149,442] teach hinge assemblies for electronic devices [Figs. 1-9; Abstract].

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramnandan Singh whose telephone number is (571) 272-7529. The examiner can normally be reached on M-TH (8:00-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Fan Tsang can be reached on (571) 272-7547. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ramnandan Singh Examiner

Art Unit 2614